NATIONAL INSTITUTE OF TECHNOLOGY SILCHAR Silchar - 788 010 (ASSAM)

No: NITS-PS-508-ECE-Meity Proj-Equip-DiCoBA-Dr.W.Arif-17 Date: 15/12/2017

NOTICE INVITING TENDER FOR SUPPLY AND INSTALLATION OF EQUIPMENT FOR ECE DEPARTMENT AT NIT SILCHAR



LAST DATE & TIME OF SUBMISSION 05/01/2018 up-to 01.00 PM

05/01/2018 at 03.30 PM DATE & TIME OF OPENING



NATIONAL INSTITUTE OF TECHNOLOGY SILCHAR - 788 010

Tel.No. Director: (03842) 224879

Fax: (03842) 224797

NOTICE INVITING TENDER

Adv. No: NITS-PS-508-ECE-Meity Proj-Equip-DiCoBA-Dr.W.Arif-17

Sealed Tender/Quotations are invited from reputed Firms/Agencies/Manufacturer/Authorized Dealer FOR SUPPLY AND INSTALLATION OF EQUIPMENT FOR ECE DEPARTMENT AT NIT SILCHAR along with Earnest Money Deposit (EMD) @2% of the total bid value in the form of Demand Draft/Bank Guarantee in favour of "The Director, NIT, Silchar", Payable at Silchar. No Interest shall be paid on EMD.

Detail specification of the item/items is given in (Annexure - A).

Tender documents can be obtained from Purchase Section, NIT Silchar or may be downloaded from our website www.nits.ac.in or http://tenders.gov.in. The cost of tender document is Rs.5,00/-(Non-refundable) to be submitted in cash or in the form of DD in favour of The Director, NIT Silchar, Payable at Silchar. The last date and time for submission of Tender document will be 65/01/2018 upto 01.00PM and tender will be opened on the same date at 03.30 PM in office of HOD, ECE Dept., NIT SILCHAR.

The offers without Cost of Tender & Earnest Money Deposit (EMD) shall be out rightly rejected.

Director, NIT Silchar reserves the right to extend the date, or cancel the tender, accept or reject any/all quotations or not to purchase all or any of the items.

Quotations are to be sent/submitted in sealed covers addressed to:-

The Faculty-In-Charge, Purchase National Institute of Technology, Silchar 788 010 (Assam)

REGISTRAR, NIT SILCHAR

NOTICE INVITING TENDER

Credential Criteria:

- The bidder should have provided similar nature of services to IITs/NITs/Govt. Departments/Semi Govt. Departments/PSU/Educational Institutions of National Importance etc. during last 3(three) years. Duly certified copies are to be enclosed.
- Quotations are to be submitted in TWO PARTS i.e. (a) Technical Bid and (b) Price Bid, in two separate properly sealed covers; and both these covers will have to be again put in to a single sealed cover. Also, the address of the firm submitting the quotation must appear distinctly on both the inner sealed covers, indicating also TECHNICAL BID / PRICE BID as may be applicable. The outer most cover shall be super scribed as

0	"QUOTATION FOR SUPPLY & INSTALLATION OF	FOR
	NIT SILCHAR.	
0	VIDE TENDER REF NO NITS/PS, DATED.	DATE OF
0	OPENING	

[The bid will summarily be rejected & returned to the bidder if the sealed envelope containing the quotation is not super scribed as above].

- Genuine Pricing (Both foreign & indigenous): Vendor is to ensure that quoted price is not more than the price offered to
 any other customer in India to whom this particular item has been sold recently, particularly to IIT/Institutes and other
 Government Organization.
- No Part Delivery: Part shipment for any items will not be allowed.
- Any Optional item quoted by the supplier will not be entertained.
- o Termination for default: Default is said to have occurred -
- o If the supplier fails to deliver any or all of the items/services within the time period(s) specified in the purchase order or any extension thereof granted by NIT Silchar, the Institute may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable.

TERMS & CONDITIONS:

- 1. The bidding agency should be reputed firm and having all necessary certificates, viz. GST registration certificate, PAN, Registration, Sale Tax clearance Certificate, Authorized Dealership/Distributorship certificate, etc. The photocopies of all the certificates should be attached with the tender.
- 2. The firm should be an original equipment manufacturer (OEM) in the business of manufacture or supply of equipment for minimum 5(five) years. The firm should submit audited financial statements for latest three financial years in support of this claim.
- 3. The items being quoted should be of Original Manufacturer and no non-standard item should be quoted. All detailed specifications with make & model no. of the items accompanied by proper leaflets should be clearly mentioned and attached with the offer. In case of proprietary or patented item, necessary certificates in support of the same should be attached. The bidder must submit the Compliance Statement and Deviation Statement of technical specification.
- 4. The firm should have satisfactorily manufactured and supplied equipment, as requisitioned in this tender, to IITs/NITs/Govt. Departments/Semi Govt. Departments/PSU/Educational Institutions of National Importance etc. during the last three years ending the last day of March 2017.
- 5. The rate quoted must be both in words and figures and F.O.R. / Destination National Institute of Technology, Silchar inclusive of packing, forwarding etc. Octroi, surcharge, insurance, Installation and any other charges. Educational discount, if any should be indicated clearly. Tenderer(s) may note that the Government of India exempts this Institute from paying custom duty/excise duty on selected items. Necessary documents will be furnished if required on demand by the Tenderer(s). Rate quoted for any other destination shall not be accepted.

- 6. Quoted rate should be inclusive of all taxes. Nothing extra will be paid by the Institution.
- 7. Payment: Payment shall be made only after receipt and installation of the materials/articles in good and working conditions as per specifications and after satisfactory installation and commissioning of the equipment/machinery/accessories by the department.
- 8. Manufacturer's/Company's name, it's trademark should be mentioned in the Tender and illustrative leaflets giving technical particulars, etc. should be attached in the tender.
- 9. Tenderer(s) registered with the State/Central Government must quote his registration numbers, if any, and submit a Xerox copy of registration along with the tender.
- 10. Guarantee/Warranty period offered for the tendered item is to be clearly specified.
- 11. The rates to be quoted by the agency should be valid for a period of 6(six) months after the deadline date specified in the tender.
- 12. The quantity against each item mentioned in the tender may vary according to the actual requirements at the time of placing Purchase Order.
- 13. It is not binding for the bidding agency to quote for all the items.
- 14. Each bidder should clearly specify that the bidder agrees to abide by the conditions of this tender document on their printed letter head duly sealed & signed by an authorized person.

15. Bid Price

- a) The contract shall be for the full quantity as described above. Corrections, if, shall be made by crossing out, initialing dating and rewriting.
- b) The bidder should quote the total price for each item inclusive of packing and forwarding, all duties, levies, insurance, installation, any other charges, etc. Only taxes & (discount if any) should be mentioned separately.
- c) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- 16. Each bidder shall submit only one quotation.
- 17. All necessary documents shall be furnished along with the bid.
- 18. Validity of Tenders/Quotations: Tenders/Quotations shall remain valid for a period not less than 6 (six) months after the deadline date specified for submission of tender.

19. Packing

- a) The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall have to be taken into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
- b) The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be provided for in the Contract including additional requirements.

20. Evaluation of Quotations:

NIT Silchar will evaluate and compare the quotations determined to be substantially responsive i.e. which

- a) are properly signed
- b) Conform to the terms and conditions, and specifications.

21. Award of contract:

- NIT Silchar will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.
- a) The bidder whose bid is accepted will be notified of the award of contract by the NIT Silchar prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
- b) Normal commercial warranty/guarantee shall be applicable to the supplied goods.
- c) The goods (both indigenous & imported) should be insured against theft, loss or breakage during transit till destination.
- Upon delivery of goods, the supplier shall submit Suppliers Invoice, Insurance certificate, Warranty Certificate, or any other document.
- 22. **Acknowledgement of the Purchase Order**: The supplier shall give an acknowledgement of the Purchase Order within 15 days of the date of the Purchase Order. In case, the supplier fails to acknowledge the Purchase Order within the stipulated time, the Institute is at liberty to cancel the Purchase Order.
- 23. No alternations in tender forms shall be made by the bidder and if any such alteration is made, the tender is liable to be rejected.
 - a) Delivery Schedule and Penalty for Delay: Delivery of equipment should be made within 30days /as per Purchase Order from the date of issue of Purchase Order. Penalty at the rate of 0.5% or part thereof of the order value per week, subject to a maximum of 2.5% will be imposed for delayed delivery and installation.
- 24. Demurrages and penalty, if any, paid by the supplier shall not be borne by the Institute.
- 25. The tenders submitted shall clearly mention the name of the firm/person in whose favour the purchase order is to be placed.
- 26. Contact details of the person for all post sales/installation maintenance support should clearly be given with Name & Designation, Phone No, Fax No, Mobile, E-mail and official address.
- 27. National Institute of Technology Silchar is not liable for non-receipt of the tender forms in time due to wrong address/ any delivery delay of the mail service provider/ force majeure. Tender documents received after the last date and time for receiving tenders will be summarily rejected.
- 28. Successful bidder shall give a performance security @5% of the total order value in the form of Bank Guarantee. The performance security shall be furnished after the order for supply is placed and before the final payment. Validity of the Performance Security shall cover the warranty period.
 - The proceeds of the Performance Security shall be payable to the purchaser as compensation for any loss resulting from the suppliers failure to complete its obligations under the contract.
- 29. All legal disputes shall be under the jurisdiction of the Silchar Courts of Cachar District in the state of Assam.

Registrar, NIT Silch:

DECLARATION

I / We hereby declare that no case is pending with the police/ court against the proprietor/ firm/
partner or the company (Agency). Also I /We have not been suspended / blacklisted by any PSU / Government
Department / Financial Institution / Court.

(Signature & seal of the contractor)

Place:

NO DEVIATION CERTIFICATE

Notwithstanding anything mentioned in our bid, we hereby accept all the terms and conditions of this
tender and we do not have any deviation to this tender enquiry. We hereby undertake and confirm that we
have understood the scope of work properly and shall be carried out as mentioned in this tender enquiry.

(Signature & sea	of the	contractor)
------------------	--------	-------------

Place:

BIDDERS DETAILS

Name of the Contractor /Party/ F	irm :	
Name of Authorized Representat	ive :	
Phone Nos.	:	
Mobile Nos.	: [
Fax No.	: [
E-Mail Address	:	
Web Site Address (If Any)	:	
		(Signature & seal of the contractor)
Place:		
Date:		

TECHNO-COMMERCIAL BID

NAME OF THE WORK: Supply and Installation of at NIT Silchar

SI. Io.	Name of item with Specification, Make & Model	QTY.	Rate per Unit in	Taxes in %	Total Amount in
			120		
-	,				
			,		
+					
-					
			Cl	Tatal Assault	
				Total Amount iscount (if any)	
			D	Taxes (if any)	
			Other C	Charges (if any)	
				Total Amount	
MOU	NT IN WORDS)				
der do	/ we have gone through all the Special & Gen ocument and agree to abide by these.				
	In case of discrepancy in rates between fig ower value will be taken for award of work.		the higher will	be taken for e	valuation of bid a
					1 - 1 - 1
			(Si	gnature & sea	I of the contractor

CHECK-LIST (TECHNICAL BID)

SUMMARY OF COMPLIANCE TO REQUIREMENT OF TENDER

SI. No.	Description of Requirement	Yes / No / NA	Page No.
1.	Tender Cost Rs.500/- (Non-refundable) in the form of Demand Draft in favour of "Director, NIT Silchar" in a separate envelope		
2.	EMD @2% of total bid value in the form of Demand Draft /Bank Guarantee in favour of "Director, NIT Silchar" in a separate envelope		
3.	Copy of Manufacturer/ Authorized Supplier Certificate		
4.	Audited financial statement for the last 3 years		
5.	Copy of the PAN card.		
6.	Copy of GST registration certificate		. 4
7.	Copies of previous work order of similar work with completion certificate (if any)		
8.	Declaration certificate		
9.	No Deviation certificate		
10.	Bidder's details		
11.	Technical Specification		
12.	NSIC/SSI Certificate where applicable		
13.	All the pages of tender document have been signed		
14.	Price bid in separate sealed envelope.		
15.	Complete copy of Techno Commercial Bid submit along with the Price Bid.		

(Signature	&	seal	of	the	contractor)
------------	---	------	----	-----	-------------

Place:

Detailed Specification:

1. Router: Quantity-08

	Technical Specifications
Multicoré CPU	High-performance multicore processors support high-speed WAN connections. The data plane uses an emulated Flow Processor (FP) that delivers application-specific integrated circuit (ASIC)-like performance that does not degrade as services are added.
Business continuity and increased resiliency	 support dual integrated power supplies Modular network interfaces with diverse connection options for load-balancing and network resiliency. Support for multiple, diverse access links: T1/E1, T3/E3, Serial, xDSL, Gigabit and Ten-Gigabit Ethernet
Lower telephony costs with VoIP and rich media experiences	High-performance analog/digital gateway, allowing VoIP over less expensive Session Initiation Protocol (SIP) trunks.
Aggregate Throughput	35 Mbps and can be upgraded to 75 Mbps
Total onboard WAN or LAN 10/100/1000 ports	one 10/100/1000 SFP/Copper and one 10/100/1000 copper WAN ports and 8 LAN ports
Network module Slots	2
DRAM	4 GB
Flash	8 GB
USB 2.0	1
Serial RJ45 port	1
Protocols	IPv4, IPv6, static routes, Routing Information Protocol Versions 1 and 2 (RIP and RIPv2), Open Shortest Path First (OSPF), Enhanced Interior Gateway Routing Protocol (EIGRP), Border Gateway Protocol (BGP), BGP Router Reflector, Intermediate System-to-Intermediate System (IS-IS), Multicast Internet Group Management Protocol Version 3 (IGMPv3), Protocol Independent Multicast sparse mode (PIM SM), PIM Source-Specific Multicast (SSM), Resource Reservation Protocol (RSVP), Cisco Discovery Protocol, Encapsulated Remote Switched Port Analyzer (ERSPAN), Cisco IOS IP Service-Level Agreements (IPSLA), Call Home, Cisco IOS Embedded Event Manager (EEM), Internet Key Exchange (IKE), access control lists (ACL), Ethernet Virtual Connections (EVC), Dynamic Host Configuration Protocol (DHCP), Frame Relay (FR), DNS, Locator ID Separation Protocol (LISP), Overlay Transport Virtualization (OTV),5 Hot Standby Router Protocol (HSRP), RADIUS, authentication, authorization, and accounting (AAA), Application Visibility and Control (AVC), Distance Vector Multicast Routing Protocol (DVMRP), IPv4-to-IPv6 Multicast, MPLS, Layer 2 and Layer 3 VPN, IPsec, Layer 2 Tunneling Protocol Version 3 (L2TPv3), Bidirectional Forwarding Detection (BFD), IEEE 802.1ag, and IEEE 802.3ah

Encapsulations	Generic routing encapsulation (GRE), Ethernet, 802.1q VLAN, Point-to-Point Protocol (PPP), Multilink Point-to-Point Protocol (MLPPP), Frame Relay, Multilink Frame Relay (MLFR) (FR.15 and FR.16), High-Level Data Link Control (HDLC), Serial (RS-232, RS-449, X.21, V.35, and EIA-530), and PPP over Ethernet (PPPoE)
Traffic management	QoS, Class-Based Weighted Fair Queuing (CBWFQ), Weighted Random Early Detection (WRED), Hierarchical QoS, Policy-Based Routing (PBR), Performance Routing (PfR), and Network-Based Application Recognition (NBAR)
Cryptographic algorithms	Encryption: DES, 3DES, AES-128 or AES-256 (in CBC and GCM modes); Authentication: RSA (748/1024/2048 bit), ECDSA (256/384 bit); Integrity: MD5, SHA, SHA-256, SHA-384, SHA-512
Management	SNMP, Remote Monitoring (RMON), syslog, NetFlow, IP Flow Information Export (IPFix)
MTBF (Hours)	More than 500000 Hrs.
Auxiliary port	1
Power Specifications	,
AC input voltage	100 to 240 VAC autoranging
AC input frequency	50 to 60 Hz
Maximum power with AC power supply (watts)	90
	Operating Conditions
Temperature	32º to 104ºF
Acoustics: Sound pressure (Typical/maximum)	28.5/53 dBA
	Regulatory and Compliance
Safety	UL 60950-1 CAN/CSA C22.2 No. 60950-1 EN 60950-1 AS/NZS 60950-1 IEC 60950-1 GB-4943
EMC	ICES-003 Class A EN55022 Class A CISPR22 Class A AS/NZS 3548 Class A VCCI V-3 CNS 13438 EN 300-386 EN 61000 (Immunity) EN 55024, CISPR 24 EN50082-1 KN22, KN24
Telecom	TIA-968-B CS-03 ANSI T1.101 ITU-T G.823, G.824 IEEE 802.3 RTTE Directive

2. 27U Rack: Quantity: 01

SINo	Description
1	19" Rack: 27Ux 600mmwidth x 1000mm depth, Alloy Aluminum extruded frame fully Allen bolted construction all x,y,z axis, metal top vented all along the width and depth , 4 fan provision and cable entry provision covered with cover plate edge protected rubber grommet provide/bottom cover cable entry provision covered with cover plate edge protected rubber grommet provide , 3 pairs of support channel and castor provision at bottom side. Powder coated finish Texture Matt – 60 to 80uM
2	Corrosion Resistance: Salt spray test according to ISO 9227 (NSS test) and IEC EN 60068-2-11 (Ka test) for 168 hours: degree of Rusting Ri1 according to ISO 4628-3, propagation ≤1 mm according to ISO 4628-8.
3	Side panels are detachable with slam latches ventilation slot on side panels, full vented top cover & bottom cover with the cable entry provision.
4	Front glass single door with cam lock & key
5	Rear mesh Single door with cam lock & key
6	Castors – 1 Set
7	Front panel mounting hardware. – 2 Nos.
8	230V A/C 90 CFM fan mounted on top cover - 4 Nos.
9	Earthing Kit – 1 No.
10	Power Distribution Unit - 06/16 Amp Indian-Standard Britzy Sockets - 12 Socket - Single Pole / Screw Mountable / 32 Amp MCB / Alternating Current - Power Cable 6 sq.mm 3 meter Length - Black Fine Tex. – 1 No.
11	Horizontal Cable Manager 1U–4 Nos.

3. CAT 6 UTP Cable: 1 Box (~305 mtr.)